GST Global Sealer Technologies

Safety Data Sheet

Issue Date: 08-May-2020 Revision Date: 12-May-2023 Version 1

1. IDENTIFICATION

Product identifier

Product Name Surface Armor

Other means of identification

SDS # GST-022

Product Code GST 519

Recommended use of the chemical and restrictions on use

Recommended Use Concrete resurfacing mortar.

Details of the supplier of the safety data sheet

Manufacturer Address

GST International, Inc. 1205 Icehouse Ave. Sparks, NV 89431 Ph: 775-829-2626

www.gstinternational.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-800-535-5053 (North America) 1-352-323-3500 (International) Contract #93918

2. HAZARDS IDENTIFICATION

AppearanceGrey granulatePhysical stateSolidOdor Odorless

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1

Signal Word

Danger

Hazard statements

Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Aluminosilicate Glass	NOT ASSIGNED	15-35
Silica	1317-95-9	25-50
Calcium Sulfoaluminate Cement	960375-09-1	25-50
Portland cement	65997-15-1	5-15
Silica, Quartz	14808-60-7	<2.5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Immediate medical attention is required.

Skin Contact Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin

irritation or rash occurs: Get medical advice/attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do not induce vomiting without medical advice. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation and serious eye damage. Coughing. Shortness of breath. May cause

an allergic skin reaction. May cause respiratory irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Pre-existing lung conditions such as, but not limited to bronchitis, emphysema and asthma.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry powder, Carbon dioxide (CO2), water fog or foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8. Ensure adequate ventilation.

Environmental precautions

Environmental precautions Clean up leaks/spills immediately to prevent soil or water contamination. See Section 12 for

additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-UpReclaim where possible. Avoid the generation of dusts during clean-up. Sweep up and

shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS.

Page 3/9

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protection recommended in Section 8. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust. Avoid creating dust. Contaminated work clothing must not be allowed out of the workplace. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m ³ excludes	IDLH: 50 mg/m ³ respirable dust
1317-95-9	particulate matter	construction work, agricultural	TWA: 0.05 mg/m ³ respirable
		operations, and exposures that	dust
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 0.1 mg/m³ quartz	
		respirable dust	
Portland cement	TWA: 1 mg/m ³ particulate matter	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
65997-15-1	containing no asbestos and <1%	TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust
	crystalline silica, respirable	(vacated) TWA: 10 mg/m ³ total	TWA: 5 mg/m ³ respirable dust
	particulate matter	dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		TWA: 50 mppcf <1% Crystalline	
		silica	
Silica, Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m ³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA	
		respirable fraction	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Maintain eye

wash fountain and quick-drench facilities in work area. Provide local exhaust ventilation to

meet exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and

face protection regulations.

Skin and Body ProtectionWear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate

skin and body protection.

Respiratory Protection If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearanceGrey granulateOdorOdorlessColorGreyOdor ThresholdNot determined

Property Values Remarks • Method

pH Not applicable
Melting point / freezing point
Initial boiling point and boiling
No data available
999 °C / 1,830.2 °F

range

Flash point None

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor PressureNot determinedVapor DensityNo data availableRelative DensityNot determinedWater SolubilityInsoluble in waterSolubility in other solventsNot determinedPartition CoefficientNot applicable

Autoignition temperature Product is not self-igniting

Hyphen Not determined
Kinematic viscosity Not determined
Dynamic Viscosity Not determined
Explosive Properties Not determined
Oxidizing Properties Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation. May cause an allergic skin reaction.

Inhalation May cause irritation of respiratory tract.

Ingestion May cause discomfort if swallowed.

Component Information

Not available

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity May cause cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
Silica 1317-95-9	A2	Group 1	Known	Х
Silica, Quartz 14808-60-7	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Chronic toxicity Silicosis is a progressive fibrotic pneumoconiosis which greatly decreases the ability of the

lungs to provide oxygen (decreased pulmonary capacity). The extent and severity of lung injury depends on a variety of factors including particle size, percentage of silica, natural resistance, dust concentration and length of exposure. The damaged lungs will become increasingly less able to provide the body with oxygen causing tiredness, shortness of breath, decreased capacity to work, and can result in death by cardiac failure or by the destruction of lung tissue. Persons who develop silicosis have greatly increased risks of developing tuberculosis and workers who are exposed to crystalline silica and smoke have increased risks of lung damage. Silicosis may progress in the absence of continued

exposure.

Numerical measures of toxicity

No values to calculate.

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Not available

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AIIC
		Status		NCS					
Silica						Х	Χ	Х	Х
Portland cement	Х	ACTIVE	Х	Х		Х	Х		Х
Silica, Quartz	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Silica - 1317-95-9	Carcinogen	
Silica, Quartz - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silica 1317-95-9	X	X	X
Portland cement 65997-15-1	X	X	X
Silica, Quartz 14808-60-7	X	X	Х

16. OTHER INFORMATION

NFPA Health hazards Flammability Instability Special hazards

3 0 -

HMISHealth hazardsFlammabilityPhysical hazardsPersonal Protection3*0Not determined

Chronic Hazard Star Legend * = Chronic Health Hazard

Issue Date:08-May-2020Revision Date:12-May-2023Revision Note:New product

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 9/9