



Global Sealer  
Technologies



This dramatic **before and after** photo illustrates the industrial strength of **Degreaser Pro**.



**FEATURES:**

- Removes deep seated oil and grease, stains, chewing gum, food and organic stains on all hardscape surfaces such as concrete, tile, brick, stone, grout and pavers.
- Safe for colored and stamped concrete.
- Concentrated.
- Safe and easy to use.
- Water-based.

**AREAS OF USE:**

- Airports
- Stadiums
- Theme Parks
- Shopping Centers
- Outdoor Food Courts & Restaurants
- Swimming Pool Areas
- Plazas & Sidewalks
- Gas Stations

[www.gstinternational.com](http://www.gstinternational.com)



# Degreaser Pro

## Concentrated Heavy Duty Degreaser and Stain Remover

### Overview

#### DESCRIPTION:

**Degreaser Pro** is a concentrated heavy duty concrete and masonry degreaser specifically designed to remove deep seated oil/grease stains, chewing gum residue, and organic stains on all hardscape surfaces. **Degreaser Pro** should not be used on fabrics, aluminum or soft metals.

**Degreaser Pro** is concentrated and can be diluted with up to 12 parts water. Its dilution rate with water determines its effective strength. It is a complete stain remover for any surface that is to be sealed, painted or stained. Residue from **Degreaser Pro** should be removed using clean or soapy water. This step is necessary if a **GST sealer** or **Ecobeton® Vetrofluid® ADP (Anti Deterioration Product)** is to be applied. Please contact our office to speak with one of our technical representatives for more information.

#### LIMITATIONS:

**Degreaser Pro** will solubilize and remove deep seated grease and oil stains. The solubilized residue must be completely rinsed immediately after use. **Degreaser Pro** will remove most stains but in some situations a discoloration may remain that is not removable. In the instances where old oil or stains have oxidized or penetrated to a depth of 1/4" or more, the use of a power washer, steam or a vacuum cleaning method may be required. (Follow all Federal, State and Local reclamation regulations.)

#### FEATURES:

- Removes deep seated oil and grease, stains, chewing gum, food and organic stains on all hardscape surfaces such as concrete, tile, brick, stone, grout and pavers.
- Safe for colored and stamped concrete.
- Concentrated.
- Safe and easy to use.
- Water-based.

#### AREAS OF USE:

- Airports
- Stadiums
- Theme Parks
- Shopping Centers
- Outdoor Food Courts & Restaurants
- Swimming Pool Areas
- Plazas & Sidewalks
- Gas Stations

### Specifications:

**VOC:** .....37.80 g/l

**FLASH POINT:** ..... None

**WEIGHT PER GALLON:** .....9 lbs.

**APPEARANCE:** .....Blue color liquid

**ODOR:** ..... Mild

**PACKAGE VISCOSITY:** .....Like water

**SOLIDS by VOLUME:** .....Not applicable

#### COVERAGE:

6 to 1 mix ..... 250 - 400 sq.ft./gal

12 to 1 mix ..... 500 - 800 sq.ft./gal

**DRY SCHEDULE:** .....Not applicable

**GST PRODUCT CODE:** .....GST513

#### SHIPPING DESCRIPTION:

Ground/Air/Vessel: ..... Not Regulated

Required Label: ..... Not Required

Required Marking: ..... Not Required

**UNIFORM FIRE CODE:** ..... Non combustible

**STORAGE TEMPERATURE:** ..... 35° F. - 120° F.

**STORAGE AND DISPOSAL:** Dispose of contents and container according to the local, city, state and federal regulations. Store in cool dry place at room temperature away from direct sunlight.

#### KEEP FROM FREEZING

**SHELF LIFE:** ..... Unlimited

**HMIS RATINGS:** .....H - 2; F - 0; R - 0; PP - B

**CLEAN UP:** ..... Flush with clean water

*Available in one gallon and five gallon sizes.  
275 gallon totes are also available upon request.*

**NOTE:** Meets or exceeds Federal EPA standards for VOC compliance. Meets or exceeds South Coast Air Quality Management District and the Bay Area Air Quality Management District, for VOC compliance of less than 100g/l required by the State of California.



**IMPORTANT NOTE:**

Prior to use, test a small application area.

**SURFACE PREPARATION:**

Protect grass and shrubs from direct contact, especially in sunny areas. Remove excess dirt and debris from surface to be cleaned.

**DILUTING:**

• **Degreaser Pro** is a heavy duty concentrate. For general or light duty stain removal, mix up to 12 parts water with 1 part **Degreaser Pro**. For heavy duty stains, mix 6 parts water to 1 part **Degreaser Pro**.

**COVERAGE:**

|             |                      |
|-------------|----------------------|
| 6 to 1 mix  | 250 - 400 sq.ft./gal |
| 12 to 1 mix | 500 - 800 sq.ft./gal |

**Degreaser Pro** coverage is dependant upon surface porosity of the area being cleaned.

**APPLICATION:**

Apply **Degreaser Pro** to the surface using a GST Low Volume Pump Sprayer and allow to stand 10 -15 minutes.

1. Once **Degreaser Pro** has been applied and allowed to dwell for several minutes, use a stiff plastic brush or broom to abrade the surface. Let stand 10 -15 minutes and rinse with water using a hose and nozzle. (Follow all Federal, State and Local reclamation regulations.)

Do not allow **Degreaser Pro** to dry on the surface. If this happens, rinse again with water.

2. For best results, the preferred method for cleaning your project is utilizing a pressure washer and/or a mechanical surface cleaner. It is strongly recommended to use a heated pressure washer to aid in the cleaning process.

Allow product to dry thoroughly before applying a sealer.

**MANUFACTURED IN THE USA**

**KEEP OUT OF THE REACH OF CHILDREN**

**INGREDIENTS:** Water; Potassium Hydroxide; Sodium Metasilicate Pentahydrate; Polyethylene Glycol Monotridecyl Ether Phosphate; Diethylene Glycol Monobutyl Ether; Ethylene Glycol Monobutyl Ether; 1-Amino-2-Propanol; Dimethyl Benzyl Ammonium Chloride; Isopropyl Alcohol; Sodium Nitrite; Floral Fragrance; Acid Blue 40; Xanthene.



**DANGER**



**RESPIRATORY, SKIN & EYE IRRITANT, TOXIC IF INGESTED**

- Harmful if inhaled.
- Causes severe skin burns and eye damage.
- Can cause serious eye irritation.
- Use only outdoors or in a well-ventilated area.
- Do not breathe dust, fumes, mist, vapors, spray.
- Wash hands thoroughly after handling.
- Keep out of reach of children.
- Wear protective gloves, clothing, eye & face protection.

**IF ON SKIN** (or in hair): Take off immediately all contaminated clothing. Rinse skin with water.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**IF INGESTED:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

*Refer to SDS at [www.gstinternational.com](http://www.gstinternational.com) for complete safety information.*

This product is made from the finest raw materials available and manufactured to proven formulation under strict quality control for its intended use. However, results obtained with the use of this product under a variety of conditions may depend on circumstances beyond our control.

GST International, Inc. (including the seller thereof) warrants only that its products will be free from defects in materials. GST International, Inc.'s (including the seller thereof) sole obligation, and the purchaser's (including the person using or benefiting from its use) sole and exclusive remedy in the event of a defect covered by the foregoing warranty, shall be, at GST International, Inc.'s discretion, to (a) replace the defective product, or (b) refund to the purchaser the purchase price paid for such defective product. There are no warranties other than the limited express warranty provided above. In no event shall GST International, Inc. (or the seller of its products) be liable for incidental or consequential damages resulting or arising from the use of its products.



Global Sealer Technologies



PREPARAR Y LIMPIAR

SELLAR Y PROTEGER

## Nuestra familia de productos:

**En caso de eflorescencias, óxido o incrustaciones de cemento.**

Utilice **Clean Concrete** para eliminar eflorescencias, óxido y manchas de hormigón.



**Donde se necesite limpieza o se haya utilizado eliminador de eflorescencias.**

Utilice **Pro-Grade Cleaner** para limpiar a fondo, eliminar el aceite, la grasa, la suciedad y preparar la superficie antes de aplicar cualquier sellador GST.

Utilice **ProGrade Cleaner** para neutralizar el pH donde se utilizó **Clean Concrete**.

**Cuando se requiera un desengrasante de alta calidad para hormigón y mampostería.**

**Degreaser Pro** es un desengrasante concentrado para hormigón y mampostería diseñado específicamente para eliminar manchas profundas de aceite y grasa, residuos de chicle y manchas orgánicas en todo tipo de superficies.



**Elija un sellador invisible o que mejore el aspecto**

*Debe aplicarse después de que la superficie esté limpia y seca.*

**Selladores que mejoran el aspecto:**

- Low Sheen Wet Look Lacquer
- High Gloss Wet Look Lacquer
- Lock 'N Seal
- Satin Seal
- Final Coat

**Sellador invisible:**

- Stain Block Elite

### Características de producto:

### Usar con:

#### Guía de Producto

|                     | Alto Brillo | Bajo Brillo | Satin | Invisible | Mejora leve | Mejora drástica | Repelle el agua | Repelle la grasa y el aceite | Resiste las manchas | Resiste la eflorescencia | Resiste el astillado y delaminado | Elimina el aceite, mugre | Elimina el óxido, la eflorescencia | Aplicaciones de interior | Aplicaciones al aire libre | Superficies porosas | Superficies densas | Concreto agregado expuesto | Adoquines y Losas | Paredes de bloques expuesto | Mampostería de ladrillo | Piedra Natural y Travertino | Pisos sintéticos | Baldosas |
|---------------------|-------------|-------------|-------|-----------|-------------|-----------------|-----------------|------------------------------|---------------------|--------------------------|-----------------------------------|--------------------------|------------------------------------|--------------------------|----------------------------|---------------------|--------------------|----------------------------|-------------------|-----------------------------|-------------------------|-----------------------------|------------------|----------|
| High Gloss Wet Look | ✓           |             |       |           |             | ✓               | ✓               | ✓                            | ✓                   | ✓                        |                                   |                          |                                    | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                |          |
| Low Sheen Wet Look  |             | ✓           | ✓     |           |             | ✓               | ✓               | ✓                            | ✓                   | ✓                        |                                   |                          |                                    | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                |          |
| Lock n Seal         |             |             | ✓     |           |             | ✓               | ✓               | ✓                            | ✓                   | ✓                        |                                   |                          |                                    | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                |          |
| Satin Seal          |             |             | ✓     |           |             | ✓               | ✓               | ✓                            | ✓                   | ✓                        |                                   |                          |                                    | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                |          |
| Final Coat          | ✓           |             |       |           |             | ✓               |                 |                              |                     |                          |                                   |                          |                                    | ✓                        |                            | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                | ✓        |
| Stain Block Elite   |             |             |       | ✓         |             | ✓               | ✓               | ✓                            | ✓                   | ✓                        |                                   |                          |                                    | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                |          |
| Pro-Grade Cleaner   |             |             |       |           |             |                 |                 |                              |                     |                          | ✓                                 |                          |                                    | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                |          |
| Clean Concrete      |             |             |       |           |             |                 |                 |                              |                     |                          |                                   | ✓                        | ✓                                  | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                |          |
| DeGreaser Pro       |             |             |       |           |             |                 |                 |                              |                     |                          | ✓                                 | ✓                        | ✓                                  | ✓                        | ✓                          | ✓                   | ✓                  | ✓                          | ✓                 | ✓                           | ✓                       | ✓                           | ✓                | ✓        |

Todos los productos están disponibles en tamaños estándar de un galón y cinco galones.

Tambores de 55 galones y bolsas de 275 galones también están disponibles a pedido.

**Visite [www.gstinternational.com](http://www.gstinternational.com) para encontrar un distribuidor en su área:**

Guía de nuestros productos